Journal of Obstetrics and Gynaecology (1999) Vol. 19, No. 6, 685–696

Index

Volume 19/1999

Abdomino-pelvic packing to control severe haemorrhage following caesarean hysterectomy, 155
Abeykoon, S. C. A. see Gunasekera, P. C.
Abol-Ella, H. A. see Al-Hussaini, T. K.
Abotalib, Z. see Ghourab, S.
Abu-Heija, A. T., Jallad, M. F. and Abukteish, F.: Obstetric and perinatal outcomes of pregnancies after the age of 45, 486
Abu-Heija, A. T. see Alchalabi, H.; Zayed, F.; Ziadaeh, S. M.
Abukteish, F. see Abu-Heija, A. T.
Acharya, G., Thambapillai, E. and Hartwell, R.: Congenital rhabdomyosarcoma of maxillo-facial region associated with polyhydramnios, 204
Adeghe, J. H. see Gray-Henry, D.-M.; Ravindranath, N. T.
Adekunle, A. O., Fakokunde, F. A., Odukogbe, A. A. and Fawole, A. O.: Female genital mutilation—postcircumcision vulval complications in Nigerians, 632
Adelusola, A. see Dare, F. O.
Adenipekun, A. see Campbell, O. B.
Adenoid cystic carcinoma of Bartholin's gland: two cases, 559
Adetiloye, V. see Dare, F. O.
Adewole, F. see Fawole, A. O.
Adewole, I. F. see Babarinsa, I. A.; Fawole, A. O. Adeyemi, A. see Onwudiegwu, U.
Adeyemo, A. A. see Obisesan, K. A.
Adeyemo, D., Qureshi, M. and Butler, C.: Tubal ectopic pregnancy—cause of acute abdomen following hysterectomy, 328
Adinma, J. I. B. and Agbai, A. O.: Practice and perceptions of female genital mutilation among Nigerian Igbo women, 44
Adu, F. D. see Campbell, O. B.
Agarwal, S. see Thomas, A.
Agbai, A. O. see Adinma, J. I. B.
Ahmed, S., Balakrishnan, V., Minogue, M., Ryan, C. A. and McKiernan, J.: Sudden maternal death in pregnancy complicated by anorexia nervosa, 529
Ajayi, A. B. see Babarinsa, I. A.
Akinci, Z. see Mendilcioglu, I.
Akrong, E., Bassaw, K., McCullough, W. and Gangar, K.: Ectopic pregnancy—laparoscopic management in a district general hospital, 636
Al Sultan, S. see Algwiser, A.
Al-Hussaini, T. K. and Abol-Ella, H. A.: Three steps management of irreducible complete procidentia complicated by vesical calculi, 551
Al-Izzi, M. S. see Chima-Okereke, C. N.
Al-Jabari, A. see Ghourab, S.
Al-Meshari, A. see Ghourab, S.
Al-Mulhim, A. A. and Khwaja, S. S.: Sarcoma botryoides—an unusual case of a cervical polyp, 555
Al-Nuaim, L. see Ghourab, S.
Al-Qudah, M. S., Amr, M., Sroujieh, A. and Issa, A.: Appendectomy in pregnancy: the experience of a university hospital, 362
Al-Rufaie, H. K. see Gull, S. E.
Al-Salman, M. see Ghourab, S.
Al-Takroni, A. M. B., Parvathi, C. K., Mendis, K. B. L., Hassan, S. and Qunaibi, A. M.: Early oral intake after caesarean section performed under general anaesthesia, 34
Alchalabi, H., Abu-Heija, A. T., El-Sunna, E., Zayed, F., Badrai, L. F. and Obeidat, A.: Meconium-stained amniotic fluid in term pregnancies—a clinical view, 262
Aldrich, C. J., Moran, P. A. and Gillmer, M. D. G.: Screening for gestational diabetes in the United Kingdom: a national survey, 575
Algwiser, A., Al Sultan, S., Mesleh, R. A. and Ayoub, H.: Twin pregnancies: incidence and outcome—Riyadh Armed Forces Hospital experience, 587
Alkaline phosphatase, grossly elevated placental derived, in pregnancy as a marker for uteroplacental vascular disease, 533
Allob, M. see Hamsho, A.
Allott, H. see Boulos, A. N.
Altınok, T. see Özeren, S.
Alvi, S. A. see Havutcu, A. E.
Amin, P. and Wiener, J. J.: Vaginal delivery after abdominal wall replacement by Marlek mesh, 543
Amniotic band syndrome, multiple fetal anomalies: an extreme case of, 667
Amphetamine use, the outcome of pregnancy associated with, 377
Amr, M. see Al-Qudah, M. S.
Anastasiadis, P., Anninos, P. A., Kotini, A., Limberis, B. and Galazios, G.: Fetal magnetoencephalogram recording and Fourier spectral analysis, 125
Anastasiadis, P., Anninos, P. A., Lüdinghausen, M. V., Kotini, A., Galazios, G. and Limberis, B.: Fetal magnetocardiogram recordings and Fourier spectral analysis, 390
Anastasiadis, P. see Anninos, P. A.
Andreasen, K. R., Tabor, A. and Weber, T.: Klippel-Trenaunay-Weber syndrome in pregnancy and at delivery, 78
Androgen insensitivity syndrome, complete, bilateral Müllerian duct remnants. A scanning electron microscope study in a case of, 546
Annan, H. see Gibbon, K. L.
Anninos, P. A., Anastasiadis, P. and Kotini, A.: The use of non-linear analysis for differentiating the biomagnetic activity of ovarian lesions, 280
Anninos, P. A., Kotini, A. and Anastasiadis, P.: The chaos theory for differentiating fetal biomagnetic brain activity in normal and pre-eclamptic pregnancies, 365
Anninos, P. A. see Anastasiadis, P.
Anorexia nervosa, sudden maternal death in pregnancy complicated by, 529
Antenatal screening by history taking—a missed opportunity, 10
Anticoagulation therapy, massive corpus luteum haemorrhage—still a complication of, despite recent less intense regimes, 216
Anticoagulation therapy, recurrent haemoperitoneum of ovarian origin complicating, 215
Anticoagulation, warfarin, in pregnancy complicated by antiphospholipid antibody syndrome and heparin allergy, 196
Antsaklis, A., Papantoniou, N., Mesogitis, S., Michalas, S. and Aravantinos, D.: Pregnant women of 35 years of age or more: maternal serum markers or amniocentesis?, 253
Apoola, A. see Hefni, M.
Appendectomy in pregnancy: the experience of a university hospital, 362
Aravantinos, A. see Antsaklis, A.
Armstrong, D. see Furara, S. A.

ISSN 0144–3615 print/ISSN 1364–6893 online/99/060685–12 © Institute of Obstetrics and Gynaecology Trust, 1999

Arowojolu, A. O. see Campbell, O. B.
As, A. K., Webb, J. B., Chowdhury, R. R.: Malignant mixed mesodermal tumour of the ovary: clinicopathological features, 643
Attapattu, J. A. F., Prussia, P. R., Boyce, V. and Levett, P. N.: A prospective study of asymptomatic *Chlamydia trachomatis* in Bardadian women, 506
Audu, B. M., El-Nafaty, A. U., Khalil, M. and Otubu, J. A. M.: Knowledge and attitude to cervical cancer screening among women in Maiduguri, Nigeria, 295
Audu, B. M., El-Nafaty, A. U., Khalil, M. and Otubu, J. A. M.: Sexual attitudes and their relation to cervical intraepithelial neoplasia in Maiduguri, Nigeria, 412
Awad, H. H. F. see Michael, A. M.
Awonuga, A. see Khan, K. S.
Ayoub, H. see Algwiser, A.
Aziz, A. I. and B.-Lynch, C.: Ovarian marsupialisation for polycystic ovarian disease: reality or fiction?, 298
Aziz, N. see Keriakos, R.

B.-Lynch, C. see Aziz, A. I.
Babarinsa, I. A., Adewole, I. F., Fatade, A. O. and Ajayi, A. B.: Obstetric pubic symphysis arthropathy: a study of nine cases, 620
Babarinsa, I. A. see Fawole, A. O.
Bacteriuria and urinary tract infection, the value of leucocyte stix results in predicting, after gynaecological surgery, 396
Badenoch, D. see Nadim, Z.
Badrai, L. F. see Alchalabi, H.
Bai, J., Wong, F. and Stewart, H.: The obstetric and neonatal performance of teenage mothers in an Australian community, 345
Bakas, P. see Vitoratos, N.
Baker, A. see Woodward, Z.
Baker, P. N. and Cox-Brown, M.: One hundred years of maternity care: the Register of Bagthorpe Workhouse Lying-in Hospital 1897–1906, 7
Bako, A. see Onwudiegwu, U.
Balfour, R. P.: Laparoscopic assisted vaginal hysterectomy—190 cases: complications and training, 164
Balkrishnan, V. see Ahmed, S.
Bar, J. see Yitzhak, M.
Bar-Hava, I. see Ferber, A.; Shalev, J.
Barbieri, M. see Farina, A.
Barrington, J. see Taylor, M.
Barter, J. see Ikomi, A.
Barton, D. P. J. see Butler-Manuel, S. A. Bassaw, B. see Roopnarinesingh, A. J. Bassaw, K. see Akrong, E.
Basso, O. see Olsen, J.
Baumber, R. S. see Thangappah, R. B. P. Ben-Rafael, Z. see Ferber, A.; Shalev, J. Benevski, B. see Girgis, A.
Best, F. A. see Hardwick, J. C. R.
Bevan, R. and Farthing, A.: Combined laparoscopic and hysteroscopic guided removal of an interstitial pregnancy, 438
Bewley, S. and Granleese, J.: Repeat oestradiol implants: features of dependence?, 190
Beynon, D. W. G. see Gornall, R. J.
Bhattacharyya, M. N. see Odutayo, R.
Bilgic, R. see Özeren, S.
Bilgin, T., Döş, A. and Tolunay, S.: Primary malignant lymphoma of the uterine cervix: difficulties in diagnosis, 671
Biliary tract disease in pregnancy, the use of magnetic resonance cholangiopancreatography in the management of, 656
Bishop, E. see Johnson, N. P.
Bjornsson, S. see Williams, J.
Blake, P. see Butler-Manuel, S. A.
Blood transfusions in gynaecology, 652
Bolton, P. J. and Selo-Ojeme, D. O.: Endometrial adenocarcinoma: an unusual presentation with acute urinary retention secondary to haematocolpos, 553
Booth, J. see Davis, C. J.
Bosio, P. see Lyons, F.
Boulos, A. N., Griffiths, M., Allott, H. and Holt, E. M.: Trial of self-administered antenatal care: maternal symphysis fundal height measurements, 623
Bowen-Simpkins, P. see Nzewi, C.; Taylor, M.
Boyce, V. see Attapattu, J. A. F.
Boyd, I. E. see Gornall, R. J.
Brace, V. see Khan, K. S.
Bradley, E. see Howells, R. E. J.
Brennand, J. see Mackenzie, F.
Brincat, M. see Formosa, M.
British Maternal and Fetal Society: Fourth Annual Conference—Programme and Abstracts (supplement) S1–S64
Brown, D., Fletcher, H. M., Myrie, M. O. and Reid, M.: Caesarean myomectomy—a safe procedure. A retrospective case controlled study, 139
Brown, O., Mahendran, D. and Lieberman, B.: A twin pregnancy in a uterus didelphys, 82
Buist, R. see Johnson, N. P.
Burch colposuspension for the treatment of coital urinary leakage secondary to genuine stress incontinence, 289
Butler, C. see Adeyemo, D.
Butler-Manuel, S. A., Summerville, K., Ford, A., Blake, P., Riley, A. J., Sultan, A. H., Monga, A. K., Stanton, S. L., Shepherd, J. H. and Barton, D. P. J.: Self-assessment of morbidity following radical hysterectomy for cervical cancer, 180
Butler-Manuel, S. A. see Gould, D. A.
Byrne, P. see Connolly, G.

C-1 esterase inhibitor prophylaxis for delivery in hereditary andioedema, 537
Caesarean, decision-delivery interval in a Nigerian university hospital: implications for maternal morbidity and mortality, 30
Caesarean myomectomy—a safe procedure. A retrospective case controlled study, 139
Caesarean section scar dehiscence following vaginal delivery, 658
Caesarean delivery, delaying planned, until 39 completed weeks of gestation: the experience of a district general hospital, 142
Caesarean section, an audit of thromboprophylaxis at (abstract), 103
Caesarean section, early oral intake after, performed under general anaesthesia, 34
Caesarean section, massive secondary postpartum haemorrhage three weeks after, 197
Cahill, D. J. see Emovon, E. U.
Ca125, high levels of, caution is required in interpreting, in patients with a pelvic mass, 323
Calvert, E. see Howells, R. E. J.
Cameron, A. D. see Williams, J.
Cameron, A. see Mackenzie, F.
Cameron, M., Morgan, J. and Cruickshank, D. J.: Plasma cell vaginitis—a new clinical entity?, 91
Campbell, O. B., Arowojolu, A. O., Adu, F. D., Adenipekun, A. and Ojengbede, O. A.: Human immunodeficiency virus antibody in patients with cancer of the uterine cervix undergoing radiotherapy: clinical stages, histological grade and outcome of radiotherapy, 403
Cancer patients, gynaecological, audit of views regarding follow-up, 167
Carcinoma of the endometrium, *in situ* squamous cell, associated with long-term intrauterine device (Dalkon Shield) usage, 88
Carcinoma of the peritoneum, primary, masquerading as ovarian malignancy, 675
Carr, D. see Jones, E. S.
Carrick, P. see Furara, S. A.
Carter, P. G. see Gould, D. A.

Caukwell, S. and Fox, R.: Vulvovaginitis secondary to examination with latex gloves, 208
Cervical cancer, pulmonary metastases from, in Sri Lanka, 65
Cervical cancer screening, knowledge and attitude to, among women in Maiduguri, Nigeria, 295
Cervical cancer, self-assessment of morbidity following radical hysterectomy for, 180
Cervical cancer—a neglected health tragedy, 61
Cervical carcinoma, intraperitoneal metastases following radiotherapy treatment for, —case review (abstract), 221
Cervical carcinoma, septicaemic shock: an unusual presentation of, 329
Cervical crypt, dilated, as a cause of uterine enlargement, 96
Cervical ectropion, not just a. Three case reports of diethylstilbestrol (DES) exposed women presenting with vaginal discharge and cervical ectropion, 649
Cervical intra-epithelial neoplasia, suspected, cold coagulation for the treatment of, : a follow-up study in patients with negative histology (abstract), 221
Cervical intraepithelial neoplasia, a comparative study of the assessment of, in women having large loop excision of the transformation zone, 169
Cervical intraepithelial neoplasia, persistent, is involvement of the surgical margins of large loop excision of the cervical transformation zone specimens for cervical intraepithelial neoplasia III a risk factor for?, 408
Cervical intraepithelial neoplasia, sexual attitudes and their relation to, in Maiduguri, Nigeria, 412
Cervical lesions, the management of pre-invasive, using cryotherapy in Yaounde, Cameroon, 640
Cervical polyp, sarcoma botryoides—an unusual case of a, 555
Cervical screening practices and beliefs, self-reported, of women from urban, rural and remote regions, 172
(Cervical) smears, mildly dyskaryotic, a 5-year follow up of, comparing colposcopy with expectant management, 503
Cervix, primary malignant lymphoma of the uterine, : difficulties in diagnosis, 671
Cervix uteri, primary malignant melanoma of the, 673
Chantler, E. see Taylor, G. M.
Chapman, K.: Failure to diagnose monoamniotic twin pregnancy by ultrasound but with fortunate outcome, 310
Chapman, K. and Chapman, R.: Placenta praevia percreta with bladder infiltration, 539
Chapman, R. and Chapman, K.: Massive intraperitoneal haematoma following caesarean hysterectomy treated by aspiration, 199
Chapman, R. see Chapman, K.
Chattopadhyay (Chatterjee), I. see Edozien, L. C.
Chatzipapas, I. K. see Hart, R.
Che, Y. see Zhou, W.
Cheung, W.-Y. see Ihonor, A. O.
Childhood sexuality and child sexual abuse in southwest Nigeria, 624
Chima-Okereke, C. N., Wilkins, M. H. and Al-Izzi, M. S.: A case of endometrial stromal cell tumour with ovarian sex-cord-like differentiation, 213
Chin, K. see Watermeyer, S. R.
Chlamydia trachomatis, asymptomatic, a prospective study of, in Barbadian women, 506
Chlamydial infection, multiple site sampling for the detection of genital, in asymptomatic women under 25 years of age (abstract), 219
Choriocarcinoma, primary, of the ovary with coexisting dysgerminoma of the contralateral ovary, 325
Chowdhury, R. R. see As, A. K.
Christensen, K. see Olsen, J.
Christoforidis, N., Dawlatly, B., Gouk, E. and Murray, B.: Massive secondary postpartum haemorrhage three weeks after caesarean section, 197
Chronic fatigue syndrome, detailed description of a pregnancy associated with severe, 306
Chuileannain, F. N., and Macphail, S.: HELLP syndrome at 21 weeks' gestation in association with trisomy 13, 74
Çimen, G., Trak, B., Elpek, G., Şimşek, T. and Erman, O.: The efficiency of hysterosalpingo-contrast-sonography (HyCoSy) in the evaluation of tubal patency, 516
Clear cell adenocarcinoma of the peritoneum associated with clear cell adenocarcinoma arising in an endometrial polyp, 557
Clerk, N. see Nzewi, C.
Coard, K. see Mitchell, S.
Cochrane, G. W. see Papaioannou, S.
Coley, S. see Johnson, D.
Colliver, D. see Tomlinson, A. J.
Colorectal cancer associated with pregnancy in Kaduna, 477
Colposcopy, comparing, with expectant management, a 5-year follow up of mildly dyskaryotic smears, 503
Colposcopy, do women referred for, receive adequate information from the primary care team?, 59
Colposcopy, routine diagnostic, should women with genital condyloma acuminata have, in addition to cervical smear screening?, 500
Colposuspension, intestinal obstruction following, 332
Congenital rhabdomyosarcoma of maxillo-facial region associated with polyhydramnios, 204
Connolly, G. and Byrne, P.: Caesarean section scar dehiscence following vaginal delivery, 658
Cook, A. K., Dorman, G. and Redman, C. W. R.: A duplication of the descending colon presenting in pregnancy, 423
Cook, J. R. see Rafla, N. M.
Cook, P. see Okojie, P.
Cotton-based toilet tissue, is it less irritant to the healing perineum than paper products?, 394
Court, S. A. see Mousa, H. A.
Cox, C. see Ravindranath, N. T.
Cox, J., Hextall, A. and Edmonds, D. K.: Is cotton-based toilet tissue less irritant to the healing perineum than paper products?, 394
Cox regression analysis, a multivariate approach in statistical analysis for perinatal research, 69
Cox-Brown, M. see Baker, P. N.
Creatas, G. see Vitoratos, N.
Cruickshank, D. J. see Cameron, M.
Cuesta, F. P. see Pinto García, V.
Cushing's syndrome in pregnancy due to an adrenocorticotropin secreting islet cell tumour, 303
Cystodistension for detrusor instability—how much distension?, 209

Dabbas, M. see Maaita, M. E.
Daniel, G. see Oladipo, A.
Dare, F. O., Adelusola, A., Adetiloye, V., Makinde, O. N. and Orji, E.: Twin pregnancy involving complete hydatidiform mole, 318
Darné, F. J. see Hay, D. P.
Darwish, A. M. M.: Laparoscopic evidence of upper genital schistosomiasis, 122
Davey, C. see Lyons, F.
Davies, A. J., Hill, J. and Donnai, P.: The use of magnetic resonance cholangiopancreatography in the management of biliary tract disease in pregnancy, 656
Davies, A. see Hefni, M.
Davis, C. J., Booth, J., Summerfield, J., Lazda, E. J. and Regan, L.: Grossly elevated placental derived alkaline phosphatase in pregnancy as a marker for uteroplacental vascular disease, 533
Dawlatly, B. see Christoforidis, N.
Dekel, A. see Shalev, J.
Demirci, F. see Özden, S.
Dickson, M. J.: Recurrent haemoperitoneum of ovarian origin complicating anticoagulation therapy, 215
Dickson, M. J.: The pyramidalis muscle, 300

Diethylstilbestrol (DES) exposed women presenting with vaginal discharge and cervical ectropion. Not just a cervical ectropion. Three case reports of, 649
Dietrich, F. see Emmert, C.
Dixon, G. R. see Wasef, W. R.
Dodge, G. see Johnson, D.
Doh, A. S. and Kouam, L.: The management of pre-invasive cervical lesions using cryotherapy in Yaounde, Cameroon, 640
Donnai, P. see Davies, A. J.
Dorffner, G. see Lee, A.
Dorman, A. see Lyons, F.
Dorman, G. see Cook, A. K.
Döş, A. see Bilgin, T.
Down syndrome, maternal screening for, in women aged 40 years and over, 604
Down's syndrome, maternal screening for, comparing actual age risks and mode of delivery. The outcome of five years' implementation of, 257
Down's syndrome, screening for, : experience of two district general hospitals having different screening strategies, 15
Down's syndrome, second trimester maternal serum biochemical screening for, : experience of a single obstetric unit, 373
D'Souza, D. and Oláh, K. S. J.: Infarction of a placental chorioangioma mimicking placental abruption, 421
Duncan, I. D. see Ghaly, A. F. F.
Dunn, P. D. J. see Howells, R. E. J.
Duplication of the descending colon presenting in pregnancy, 423
Dwarakanath, L. S. see Khan, K. S.
Dwyer, P. L. see Moran, P. A.

Early oral intake after caesarean section performed under general anaesthesia, 34
Early pregnancy assessment: a role for the gynaecology nurse practitioner, 615
Eclampsia: a continuing obstetric catastrophe—the experience in Ile-Ife, Nigeria, 26
Economides, D. L. see Kadir, R. A.
(Ectopic) interstitial pregnancy, combined laparoscopic and hysteroscopic guided removal of, 438
Ectopic pregnancy—laparascopic management in a district general hospital, 636
Ectopic pregnancy, cervical, diagnosed at 17 weeks' gestation, 548
Ectopic pregnancy, interstitial, medical termination of, using methotrexate and mifipristone, 324
Ectopic pregnancy, intramyometrial, conservative surgical management of an, 433
Ectopic pregnancy, towards the modern management of, : a complete audit cycle of practice in a London teaching hospital, 276
Ectopic pregnancy, tubal, —cause of acute abdomen following hysterectomy, 328
Ectopic pregnancy, the use of methotrexate in, with fetal cardiac activity, 98
Edeke, O. and Wyldes, M. P.: A cervical ectopic pregnancy diagnosed at 17 weeks' gestation, 548
Edmonds, D. K. see Cox, J.
Edozien, L. C.: What do maternity statistics tell us about induction of labour?, 343
Edozien, L. C., Williams, J. L., Chattopadhyay (Chatterjee) and Hirsch, P. J.: Failed instrumental delivery: how safe is the use of a second instrument?, 460
Ekanem, E. D. see Obed, J. Y.
Ekin, M. see Gungor, T.
El Sakka, M. and Sharara, H.: Postpartum ovarian vein thrombosis with massive inferior vena cava thrombus formation, 76
El-Jallad, M. F. see Ziadeh, S. M.
El-Nafaty, A. U. see Audu, B. M.
El-Sayed, M. see Nwosu, E. C.
El-Sunna, E. see Alchalabi, H.
El-Toukhy, T. see Hefni, M.
Elkington, N. see Jones, G.
Ellis, A. see Reid, F. M.
Elpek, G. see Çimen, G.
Emens, J. M. see Yoong, W. C.
Emmert, C., Dietrich, F., Wecke, W. D. and Riedel, H.-H.: High-grade endometrial stromal sarcomma (HG-ESS) in an adolescent girl with benign mediastinal Schwannoma, 210
Emovon, E. U., Cahill, D. J., Joels, L. A. and Stegmann, M. H.: Bilateral primary ovarian leiomyoma: a rare cause of ovarian tumour in a young woman, 676
Endometrial ablation *versus* hysterectomy for the treatment of dysfunctional uterine bleeding, a random allocation trial of, : outcome at four years (abstract), 220
Endometrial adenocarcinoma: an unusual presentation with acute urinary retention secondary to haematocolpos, 553
Endometrial stromal cell tumour with ovarian sex-cord-like differentiation, a case of, 213
Endometrial stromal sarcoma, menorrhagia due to, 435
Endometriosis, complications of unopposed oestrogen following radical surgery for, 647
Epidural analgesia, immediate and delayed complications of, in labour and delivery, 370
Epignathus, prenatal ultrasound diagnosis of a large, 660
Erman, O. see Çimen, G.; Mendilcioglu, I.
Ethical guidelines, FIGO Committee statement on, 444
Etokowo, G. A. see Milligan, M. P.
Evans, A. S. see Watermeyer, S. R.
Evans, T. see Fox, R.
Evidence-based obstetrics and gynaecology, postgraduate journal club as a means of promoting, 231
Ewies, A. A. A., Mercer, J. and Phipps, J. H.: Intrauterine pregnancy complicated by placenta accreta after previous transcervical resection of endometrium, 192
External cephalic version in Glasgow: patient selection, outcome and factors associated with outcome, a prospective study, 598
External cephalic version, optimal fetal outcome despite persistent sinusoidal pattern after, 314
External cephalic version, prolonged fetal tachycardia—an unusual complication of, 427
Ezechi, O. C. see Onwudiegwu, U.

Face presentation caused by a short umbilical cord round the fetal neck, 668
Fallopian tube occlusion, proximal, the role of GnRH analogue therapy in the management of, 417
Familial Mediterranean fever in a pregnant woman, 541
Familusi, F. see Fawole, A. O.
Faragher, E. B. see Taylor, G. M.
Farhi, J. see Shalev, J.
Farina, A., Vesce, F., Sekizawa, A., and Barbieri, M.: A multivariate approach in statistical analysis for perinatal research: Cox regression analysis, 69
Farthing, A. see Bevan, R.
Fatade, A. O. see Babarinsa, I. A.
Fawole, A. O., Babarinsa, I. A., Ogunbiyi, J. O., Familusi, F. and Adewole, I. F.: Sarcoma botryoides in a seven year old: successful chemotherapeutic management, 92
Fecundity in the modern city: a comparison of couples attending clinics in Manchester (UK) and Melbourne (Australia), 489
Female genital mutilation—postcircumcision vulval complications in Nigerians, 632
Female genital mutilation, practice and perceptions of, among Nigerian Igbo women, 44
Ferber, A., Peleg, D., Bar-Hava, I., Orvieto, R. and Ben-Rafael, Z.: Optimal fetal outcome despite persistent sinusoidal pattern after external cephalic version, 314
Fernández, S. V. see Pinto García, V.
Fernando, R. J. see Gunasekera, P. C.

Fetal alloimmune thrombocytopenia, management of, —a less invasive option?, 119
Fetal anomalies, multiple: an extreme case of amniotic band syndrome, 667
Fetal biomagnetic brain activity, the chaos theory for differentiating, in normal and pre-eclamptic pregnancies, 365
Fetal fibronectin and placental abruption, 535
Fetal gender, is it significant in the perinatal outcome of pregnancies complicated by placental abruption?, 612
Fetal heart rate, the effect of maternal exercise, 381
Fetal heart rate patterns, abnormal, application of artificial neural networks for detection of, : a comparison with conventional algorithms, 482
Fetal magnetocardiogram recordings and Fourier spectral analysis, 390
Fetal magnetoencephalogram recording and Fourier spectral analysis, 125
Fetal outcome, optimal, despite persistent sinusoidal pattern after external cephalic version, 314
Fetal pulse oximetry, the use of intrapartum, in the prescence of fetal cardiac arrhythmia due to a cardiac tumour, 200
Fetal subaponeurotic haemorrhage following maternal trauma, 194
Fetal tachycardia, prolonged, —an unusual complication of external cephalic version, 427
Fetal weight estimation in twin pregnancies using an improved mathematical model (abstract), 218
Fetal weight, predicting, a comparison between ultrasound and clinical methods for, 159
Fiçiçioğlu, C. see Özden, S.
Finking, G., Hess, B. and Hanke, H.: The value of phytoestrogens as a possible therapeutic option in postmenopausal women with coronary heart disease, 455
Fish, A. see Woodward, Z.
Fletcher, H., Roberts, G., Mullings, A. and Forrester, T.: An open trail comparing isradipine with hydralazine and methyl dopa in the treatment of patients with severe pre-eclampsia, 235
Fletcher, H. see Mitchell, S.; Brown, D.
'Folic Acid Campaign', The: has the message got through? A questionnaire study, 22
Forceps, the role of, in modern obstetrics, 146
Ford, A. see Butler—Manuel, S. A.
Formosa, M. and Brincat, M.: Warfarin anticoagulation in pregnancy complicated by antiphospholipid antibody syndrome and heparin allergy, 196
Forrester, T. see Fletcher, H.
Fox, R., Savage, R., Evans, T. and Moore, L.: Early pregnancy assessment: a role for the gynaecology nurse practitioner, 615
Fox, R. see Caukwell, S.; Montague, I.; Shefras, J.
Fraser, D. see Yitzhak, M.
Freites, O. N. see Ihonor, A. O.
Furara, S. A., Carrick, P., Armstrong, D., Pairaudeau, P., Pullan, A. M. and Lindow, S. W.: The outcome of pregnancy associated with amphetamine use, 377

Galazios, G. see Anastasiadis, P.
Gangar, K. see Akrong, E.
Gao, E. see Zhou, W.
Geary, M., Wilshin, J., Persaud, M., Hindmarsh, P. C. and Rodeck, C. H.: Murphy's Law and the pregnant medical doctor: is pregnancy outcome worse?, 360
Geerinckx, K. see Vandeginste, S.
Genetic aetiology of reproductive failures, 399
Genital condyloma acuminata, should women with, have routine diagnostic colposcopy in addition to cervical smear screening?, 500
Genital tract infections and the specialist gynaecologist: a survey of perception, diagnosis and treatment, 406
Gestational diabetes, screening for, in the United Kingdom: a national survey, 575
Ghaly, A. F. F., Duncan, I. D. and Nicoll, S. M.: Should women with genital condyloma acuminata have routine diagnostic colposcopy in addition to cervical smear screening?, 500
Ghosh, A. K., Jones, M. H. and Rao, S.: Intestinal obstruction following colposuspension, 332
Ghourab, S., Al-Nuaim, L., Al-Jabari, A., Al-Meshari, A., Mustafa, M. S., Abotalib, Z. and Al-Salman, M.: Abdomino-pelvic packing to control severe haemorrhage following caesarean hysterectomy, 155
Gibbon, K. L., Annan, H. and Salisbury, J.: The joint vulval clinic: a review of the first three years, 273
Gillmer, M. D. G. see Aldrich, C. J.
Gilmour, K. S., Pickersgill, A. and Slade, R. J.: Septicaemic shock: an unusual presentation of cervical carcinoma, 329
Girgis, A., Bonevski, B., Perkins, J. and Sanson-Fisher, R.: Self-reported cervical screening practices and beliefs of women from urban, rural and remote regions, 172
Glenincik, M. see Özden, S.
GnRH analogue therapy, the role of, in the management of proximal fallopian tube occlusion, 417
Gokmen, O. see Gungor, T.
Goldthorp, W. see Keriakos, R.
Gornall, R. J., Beynon, D. W. G., Shepherd, N. J. and Boyd, I. E.: Topical antiseptic agent after large loop excision of the transformation zone: results of a randomised controlled trial, 509
Gouk, E. see Christoforidis, N.
Gould, D. A., Butler-Manuel, S. A., Turner, M. J. and Carter, P. G.: Emergency obstetric hysterectomy—an increasing incidence, 580
Granleese, J. see Bewley, S.
Gray-Henry, D.-M., Ravindranath, N. T. and Adeghe, J. H.: Triplet pregnancy with complete hydatidiform mole coexisting with two fetuses, 80
Gregor, V. see Kučerová, M.
Griffiths, M. see Boulos, A. N.
Group B streptococcus positive mothers, management of, and perinatal outcome, audit on (abstract), 218
Grout, P. see Rai, N.
Grudzinskas, J. G. see Nadim, Z.
Gull, S. E. and Al-Rufaie, H. K.: Paget's disease of the vulva with underlying *in situ* and invasive classical lobular breast carcinoma, 320
Gunasekera, P. C., Fernando, R. J. and Abeykoon, S. C. A.: Pulmonary metastases from cervical cancer in Sri Lanka, 65
Gungor, T., Ekin, M., Zergeroğlu, S. and Gokmen, O.: Primary choriocarcinoma of the ovary with coexisting dysgerminoma of the contralateral ovary, 325
Gurguis, M. see Ravindranath, N. T.
Guzej, Z. see Lovšin, B.

Haematoma, massive intraperitoneal, following caesarean hysterectomy treated by aspiration, 199
Haemoperitoneum, recurrent, of ovarian origin complicating anticoagulation therapy, 215
Haemorrhage, antepartum, an unusual case of, 312
Haemorrhage, massive corpus luteum, —still a complication of anticoagulation therapy despite recent less intense regimes, 216
Haemorrhage, massive secondary postpartum, three weeks after caesarean section, 197
Haemorrhage, severe, abdomino-pelvic packing to control, following caesarean hysterectomy, 155
Halligan, A. W. F. see Ikhena, S. E.
Hamilton, S. M. and Maresh, M. J. A.: Antenatal screening by history taking—a missed opportunity, 10
Hamsho, A. and Alloub, M.: Spontaneous rupture of a 13 week gravid scarred uterus, 316
Hanifullah, K. see Raman, S.

Hanke, H. see Finking, G.
Hardwick, J. C. R., Best, F. A. and Igwe, F.: A dilated cervical crypt as a cause of uterine enlargement, 96
Hart, R., Chatzipapas, I. K. and Magos, A.: The cost of a hysterectomy in a UK hospital, 522
Hart, R. and Magos, A.: Laparoscopically managed bilateral benign ovarian cysts in an 85-year-old woman, 670
Hartwell, R. see Acharya, G.
Hassan, S. see Al-Takroni, A. M. B.
Havutcu, A. E., Alvi, S. A., Priddy, A. and Louca, O.: Conservative surgical management of an intramyometrial ectopic pregnancy, 433
Hay, D. M. see Rai, N.
Hay, D. P., Martin, W. L., Darné, F. J.: Potentially dangerous complication of an ineffective shelf pessary, 669
Heatley, M. K. see Khan, M. S.
Hefni, M., Apoola, A., Davies, A., Mahadevan, S. and El-Toukhy, T.: Compliance with hormone replacement therapy after prophylactive oophorectomy, 301
HELLP syndrome at 21 weeks' gestation in association with trisomy 13, 74
HELLP syndrome, delayed development of laboratory features of, 313
Hereditary angioedema, C-1 esterase inhibitor prophylaxis for delivery in, 537
Hereditary elliptocytosis complicating pregnancy, 308
Hess, B. see Finking, G.
Heterotopic pregnancy, advanced, 677
Hextall, A. see Cox, J.
High-grade endometrial stromal sarcoma (HG-ESS) in an adolescent girl with benign mediastinal Schwannoma, 210
Hill, J. see Davies, A. J.
Hindmarsh, P. C. see Geary, M.
Hirabuki, S. see Shukunami, K.
Hirsch, P. J. see Edozien, L. C.; Reid, F. M.
Hirschsprung's disease: and unusual presentation in pregnancy, 206
Hod, M. see Yitzhak, M.
Hoffman, J. see Jones, E. S.
Hollis, S. see Nwosu, E. C.
Holt, E. M. see Boulos, A. N.
Homer, H. see Roopnarinesingh, A. J.
Horáček, J. see Kučerová, M.
Hormone replacement therapy, compliance with, after prophylactive oophorectomy, 301
Hormone replacement therapy, effects of, on serum lipids and phospholipids in postmenopausal women, 184
Howells, R. E. J., Bradley, E., Pitts, M., Calvert, E. and Redman, C. W. E.: Audit of the views of gynaecological cancer patients regarding follow-up, 167
Howells, R. E. J., Lockett, J., Dunn, P. D. J., Shroff, J. F., Redman, C. W. E.: Do women referred for colposcopy receive adequate information from the primary care team?, 59
Human immunodeficiency virus antibody in patients with cancer of the uterine cervix undergoing radiotherapy: clinical stages, histological grade and outcome of radiotherapy, 403
Hunter, R. W. see O'Connell, M. P.
Hussain, S. see Oyelese, K. O.
Hydatidiform mole, complete, coexisting with two fetuses, triplet pregnancy with, 80
Hydatidiform mole, twin pregnancy involving complete, 318
Hydrops fetalis, laryngeal atresia—a cause of, 425
Hydrostatic replacement of acute inversion of the uterus can cause acute pulmonary oedema by intrauterine fluid intravasation, 544
Hypokalaemia, chronic, in pregnancy secondary to hyperemesis gravidarum, 532
Hypoparathyroidism, idiopathic, —two successful pregnancies despite uncontrolled hypocalcaemia, 162
Hysterectomies, jakoscope–and alternative method for minimal access surgery. Early experiences in, 292
Hysterectomy, caesarean, abdomino-pelvic packing to control severe haemorrhage following, 155
Hysterectomy, caesarean, massive intraperitoneal haematoma following, treated by aspiration, 199
Hysterectomy, the cost of a, in a UK hospital, 522
Hysterectomy, emergency obstetric, —an increasing incidence, 580
Hysterectomy, radical, self-assessment of morbidity following, for cervical cancer, 180
Hysterectomy, vaginal, laparoscopic assisted, —190 cases: complications and training, 164
Hysterosalpingo-contrast-sonography (HyCoSy), the efficiency of, in the evaluation of tubal patency, 516

Idama, T. O., Lindow, S. W. and Masson, E. A.: Idiopathic hypoparathyroidism—two successful pregnancies despite uncontrolled hypocalcaemia, 162
Idiopathic hypoparathyroidism—two successful pregnancies despite uncontrolled hypocalcaemia, 162
Idowu, O. O. and McCune, G. S.: Primary carcinoma of the peritoneum masquerading as ovarian malignancy, 675
Igwe, F. see Hardwick, J. C. R.
Ihonor, A. O., Cheung, W.-Y. and Freites, O. N.: A comparative study of the assessment of cervical intraepithelial neoplasia in women having large loop excision of the transformation zone, 169
Ikhena, S. E., Halligan, A. W. F. and Naftalin, N. J.: Has pelvimetry a role in current obstetric practice?, 463
Ikomi, A., Barter, J. and Singer, A.: Persisting menorrhagia after successful thyroxine replacement in a hypothyroid patient, 101
Imai, A., Takagi, A. and Tamaya, T.: Pregnancy during postoperative management of virilising arrhenoblastoma, 662
In vitro fertilisation, should women in their forties attempt? (abstract), 103
In vitro fertilisation, transport, a successful pregnancy in a, case using randomly selected testicular immotile sperm and intracytoplasmic sperm injection, 431
Incarcerated retroverted uterus—a non recurring complication of pregnancy, 84
Induced abortion and duration of third stage labour in a subsequent pregnancy, 349
Induction of labour, what do maternity statistics tell us about, 343
Instrumental delivery, failed: how safe is the use of a second instrument?, 460
Interstitial pregnancy, combined laparoscopic and hysteroscopic guided removal of, 438
Intestinal obstruction following colposuspension, 332
Intra-uterine death, induction of labour following diagnosis of (abstract), 219
Intrauterine growth retardation, the effect of maternal exercise on umbilical artery velocity waveforms in, 469
Intrauterine pregnancy complicated by placenta accreta after previous transcervical resection of endometrium, 192
Isherwood, P. J. and Rane, E.: Pedunculated uterine leiomyoma causing acute urinary stress incontinence, 440
Issa, A. see Al-Qudah, M. S.
Ivory, C. M. see O'Connell, M. P.

Jackson, F. see Tomlinson, A. J.
Jaiyesimi, R. A. K.: Cystodistension for detrusor instability—how much distension?, 209
Jakoscope—and alternative method for minimal access surgery. Early experiences in hysterectomies, 292
Jallad, M. F. see Abu-Heija, A. T.
Jha, R. R., Masson, E. A. and Lindow, S. W.: Detailed description of a pregnancy associated with severe chronic fatigue syndrome, 306
Joels, L. A. see Emovon, E. U.
Johanson, R. and Jones, P.: Operative vaginal delivery rates in the United Kingdom, 602

Johnson, D., Coley, S. and Dodge, G.: Sciatic nerve tumour masquerading as pregnancy related back pain, 86
Johnson, N. P., Bishop, E. and Buist, R.: Hydrostatic replacement of acute inversion of the uterus can cause acute pulmonary oedema by intrauterine fluid intravasation, 544
Jones, A. see Oladipo, A.
Jones, G. and Elkington, N.: Fetal fibronectin and placental abruption, 535
Jones, M. H. see Ghosh, A. K.
Jones, P. see Johanson, R.
Jones, S. E., Carr, D., Hoffman, J., Macaulay, J. and Tait, P.: Cushing's syndrome in pregnancy due to and adrenocorticotropin secreting islet cell tumour, 303

Kadir, R. A., Pepera, T. and Economides, D. L.: Second trimester maternal serum biochemical screening for Down's syndrome: experience of a single obstetric unit, 373
Kalampani, H. see Vitoratos, N.
Kalofoutis, A. see Nikolaidou-Politis, V.
Kalu, G. and Toplis, P.: Fetal subaponeurotic haemorrhage following maternal trauma, 194
Kalu, G. and Toplis, P.: Marfan syndrome and pregnancy—a district hospital perspective, 594
Kaneshima, M. see Shukunami, K.
Kaplan, B. see Yitzhak, M.
Karaveli, S. see Mendilcioglu, I.
Kassanos, D. see Loghis, C.
Keen, C. E., Pandey, U., Philip, G. and Smeeton, N. C.: Is involvement of the surgical margins of large loop excision of the cervical transformation zone specimens for cervical intraepithelial neoplasia III a risk factor for persistent cervical intraepithelial neoplasia?, 408
Kelly, T. and Mackenzie, F.: Laryngeal atresia—a cause of hydrops fetalis, 425
Keriakos, R., Aziz, N., Patrick, J. and Zaklama, M.: Screening for Down's syndrome: experience of two district general hospitals having different screening strategies, 15
Keriakos, R., Aziz, N. and Sidra, L.: Myotonic dystrophy in pregnancy, 71
Keriakos, R., Roberts, J. K. and Sidra, L.: Familial Mediterranean fever in a pregnant woman, 541
Keriakos, R., Sau, M., Goldthorp, W., Sidra, L. and Sau, A.: The use of methotrexate in ectopic pregnancy with fetal cardiac activity, 98
Khalil, M. I. A. see Obed, J. Y.
Khalil, M. see Audu, B. M.
Khan, K. S., Dwarakanath, L. S., Pakkal, M., Brace, V. and Awonuga, A.: Postgraduate journal club as a means of promoting evidence-based obstetrics and gynaecology, 231
Khan, M. S. and Heatley, M. K.: The expression of the proliferation marker Ki-67 and oestrogen and progesterone receptors in the proximal and distal fallopian tube, 519
Khunda, S. and Nakash, A.: Double vulva, 94
Klippel-Trenaunay-Weber syndrome in pregnancy and at delivery, 78
Kotini, A. see Anastasiadis, P.
Kotini, A. see Anninos, P. A.
Kotsuji, F. see Shukunami, K.
Kouam, L. see Doh, A. S.
Kramar, I. see Lovšin, B.
Kučerová, M., Horáček, J., Světnicová, K. and Gregor, V.: Genetic aetiology of reproductive failures, 399
Kumar, B. see Nwosu, E. C.
Kun, K.-Y., Tang, R., Tai, C.-M. and Ng, T.-K.: Tuberous sclerosis in a Chinese baby presented with a pleural effusion and cardiac tumour during prenatal period, 429

Laing, R. J. see Neill, A. M.
Laparascopic complication audit, prospective, in a London teaching hospital—the first 6 months (abstract), 105
Laparoscopic assisted vaginal hysterectomy—190 cases: complications and training, 164
Laparoscopic evidence of upper genital schistosomiasis, 122
Laparoscopic and hysteroscopic guided removal of an interstitial pregnancy, combined, 438
Laparoscopic management, ectopic pregnancy—, in a district general hospital, 636
Laparoscopically managed bilateral benign ovarian cysts in an 85-year-old woman, 670
Large loop excision of the transformation zone, audit of (abstract), 106
Large loop excision of the transformation zone, a comparative study of the assessment of cervical intraepithelial neoplasia in women having, 169
Large loop excision of the transformation zone, topical antiseptic after, : results of a randomised controlled trial, 509
Large loop excisions of the cervical transformation zone specimens for cervical intraepithelial neoplasia III, is involvement of the surgical margins of, a risk factor for persistent cervical intraepithelial neoplasia?, 408
Laryngeal atresia—a cause of hydrops fetalis, 425
Lazda, E. J. see Davis, C. J.
Lee, A., Ulbricht, C. and Dorffner, G.: Application of artificial neural networks for detection of abnormal fetal heart rate pattern: a comparison with conventional algorithms, 482
Lehoczky, O.: Jakoscope—and alternative method for minimal access surgery. Early experiences in hysterectomies, 292
Leiberman, B. see Brown, O.
Leiberman, J. R. see Yitzhak, M.
Leucocyte stix results, the value of, in predicting bacteriuria and urinary tract infection after gynaecological surgery, 396
Levett, P. N. see Attapattu, J. A. F.
Lim, J. M. H. see Raman, S.
Limberis, B. see Anastasiadis, P.
Lindow, S. W., Nixon, C., Hill, N. and Pullan, A. M.: The incidence of maternal dental treatment during pregnancy, 130
Lindow, S. W. see Furara, S. A.; Idama, T. O.; Jha, R. R.; O'Connell, M. P.; Rai, N.
Litigation, interprofessional and peer criticism: a side-effect of?, 248
Litigation, perinatal, in Scotland 1980-1995: its incidence, rate and nature, 239
Lockett, J. see Howells, R. E. J.
Loghis, C., Salamalekis, E., Vitoratos, N., Panayotopoulos, N. and Kassanos, D.: Umbilical cord blood gas analysis in augmented labour, 38
Louca, O. see Havutcu, A. E.
Lovšin, B., Guzej, Z., Vok, M., Kramar, I. and Ravnikar, J.: C-1 esterase inhibitor prophylaxis for delivery in hereditary angioedema, 537
Low risk population for intrapartum study, the problems with defining and recruiting a (abstract), 104
Lüdinghausen, M. V. see Anastasiadis, P.
Ludlam, A. see Olugbile, A.
Lyons, F., Milner, M., Davey, C., Bosio, P., O'Connor, J., Dorman, A. and McKenna, P.: Substance abuse in an Irish antenatal population, 609

Maaita, M. E., Murad, N. and Dabbas, M.: Advanced heterotopic pregnancy, 677
Maaita, M. E., Sabaa, K. G. and Neale, E. J.: Mucocele of the appendix masquerading as an ovarian mass, 322
Macaulay, J. see Jones, E. S.
McCullough, W. see Akrong, E.
McCune, G. S. see Idowu, O. O.
McKenna, P. see Lyons, F.
Mackenzie, F., Brennand, J., Peterkin, M. and Cameron, A.: Management of fetal alloimmune thrombocytopenia—a less invasive option?, 119
Mackenzie, F. see Kelly, T.
McKiernan, J. see Ahmed, S.

McKinley, C. A. see Mousa, H. A.
Macphail, S. see Chuileannain, F. N.
Magnetic resonance cholangiopancreatography in the management of biliary tract disease in pregnancy, the use of, 656
Magnetic resonance imaging, dynamic, of the pelvic floor in the erect position (abstract), 104
Magos, A. see Hart, R.
Mahadevan, S. see Hefni, M.
Mahendran, D. see Brown, O.
Mahmood, T. A. see Mousa, H. A.
Makinde, O. N. see Dare, F. O.; Onwudiegwu, U.
Male factors and socioeconomic indicators correlate with risk of spontaneous abortion, 49
Manyonda, I. see Oyelese, K. O.
Marcus, S. F., Ward, P. A. and Wood, P. L.: Maternal serum screening for Down syndrome in women aged 40 years and over, 604
Maresh, M. J. A. see Hamilton, S. M.
Marfan syndrome and pregnancy—a district hospital perspective, 594
Martin, W. L. see Hay, D. P.
Masood, M. R., Visvanathan, D. and Sathanandan, S. M.: The role of GnRH analogue therapy in the management of proximal fallopian tube occlusion, 417
Masson, E. A. see Idama, T. O.; Jha, R. R.
Maternal common variable immunodeficiency and pregnancy, 654
Maternal death, sudden, in pregnancy complicated by anorexia nervosa, 529
Maternal dental treatment, the incidence of, during pregnancy, 130
Maternal exercise, the effect of, on fetal heart rate, 381
Maternal exercise, the effect of, on umbilical artery velocity waveforms in intrauterine growth retardation, 469
Maternal exercise, umbilical artery flow velocity waveforms following, 385
Maternal lactate-pyruvate ratios in singleton and twin pregnancies, comparative, 617
Maternal obesity, obstetric hazards of, 474
Maternal serum biochemical screening for Down's syndrome, second trimester, : experience of a single obstetric unit, 373
Maternal serum markers or amniocentesis?, pregnant women of 35 years of more, 253
Maternal serum screening for Down syndrome in women aged 40 years and over, 604
Maternal serum screening for Down's syndrome comparing actual age risks and mode of delivery, the outcome of five years' implementation of, 257
Maternal serum testing, selective use of, 20
Maternal survival following an unusual suicide attempt in pregnancy, 424
Maternal symphysis fundal height measurements, trial of self-administered antenatal care, 623
Maternity care, one hundred years of: the Register of Bagthorpe Workhouse Lying-in Hospital 1897–1906, 7
Mathers, A. see Williams, J.
Mazor, M. see Yitzhak, M.
Meconium-stained amniotic fluid in term pregnancies—a clinical view, 262
Medical abortion, a low cost regimen for, at all ages (abstract), 219
Mendilcioglu, I., Akinci, Z., Ozbilim, G., Karaveli, S. and Erman, O.: Primary ovarian mixed type carcinoid tumour, 561
Mendis, K. B. L. see Al-Takroni, A. M. B.
Menorrhagia due to endometrial stromal sarcoma, 435
Menorrhagia, microwave endometrial ablation for, 496
Menorrhagia, persisting, after successful thyroxine replacement in a hypothyroid patient, 101
Mercer, J. see Ewies, A. A. A.
Mesleh, R. A. see Algwiser, A.
Mesogitis, S. see Antsaklis, A.
Michael, A. M. and Awad, H. H. F.: Medical termination of interstital ectopic pregnancy using methotrexate and mifipristone, 324
Michalas, S. see Antsaklis, A.
Milligan, M. P. and Etokowo, G. A.: Microwave endometrial ablation for menorrhagia, 496
Milner, M. see Lyons, F.
Minogue, M. see Ahmed, S.
Miscarriage: preparing SHOs for their role in hospital care, 54
Mitchell, S., Fletcher, H., Williams, N. P. and Coard, K.: *In situ* squamous cell carcinoma of the endometrium associated with long-term intrauterine device (Dalkon Shield) usage, 88
Monga, A. K. see Butler-Manuel, S. A.
Montague, I. and Fox, R.: Selective use of maternal serum testing, 20
Montague, I. see Shefras, J.
Moore, L. see Fox, R.
Moran, P. A., Dwyer, P. L. and Ziccone, S. P.: Burch colposuspension for the treatment of coital urinary leakage secondary to genuine stress incontinence, 289
Moran, P. A., Dwyer, P. L. and Ziccone, S. P.: Urinary leakage during coitus in women, 286
Moran, P. A. see Aldrich, C. J.
Morgan, J. see Cameron, M.
Moulder, C.: Miscarriage: preparing SHOs for their role in hospital care, 54
Mousa, H. A., Court, S. J., Nawroz, I. M., McKinley, C. A. and Mahmood, T. A.: Placental site trophoblastic tumour—an unusual cause of intermenstrual bleeding. Management and 1 year follow up, 679
Mucocele of the appendix masquerading as an ovarian mass, 322
Müllerian duct remnants, bilateral. A scanning electron microscope study in a case of complete androgen insensitivity syndrome, 546
Mullings, A. see Fletcher, H.
Munday, P. E. see Poole, S.
Murad, N. see Maaita, M. E.
Murphy's Law and the pregnant medical doctor: is pregnancy outcome worse?, 360
Murray, B. see Christoforidis, N.
Mustafa, M. S. see Ghourab, S.
Myotonic dystrophy in pregnancy, 71
Myrie, M. O. see Brown, D.

Nadim, Z., Pulsford, N., Thonet, R. G. N., Badenoch, D. and Grudzinskas, J. G.: A successful pregnancy in a transport *in vitro* fertilisation case using randomly selected testicular immotile sperm and intracytoplasmic sperm injection, 431
Naftalin, N. J. see Ikhena, S. E.
Nakash, A. see Khunda, S.
Nawroz, I. M. see Mousa, H. A.
Neale, E. J. see Maaita, M. E.
Neill, A. M., Laing, R. J., Perez, P. and Spencer, P. J.: The 'Folic Acid Campaign': has the message got through? A questionnaire study, 22
Neill, A. M. and Sriemevan, A.: Shoulder dystocia: room for improvement?, 132
Nelson, J. see Tomlinson, A. J.
Newbould, M. see Olugbile, A.
Ng, T.-K. see Kun, K.-Y.
Nicoll, S. M. see Ghaly, A. F. F.
Nikolaidou-Politis, V., Papapanagiotou, A. and Kalofoutis, A.: Effects of hormone replacement therapy on serum lipids and phospholipids in postmenopausal women, 184
Nikolaou, D. S. and Winston, R. M. L.: Sporadic Perrault syndrome, 436
Nixon, C. see Lindow, S. W.

Nurse practitioner, gynaecology, early pregnancy assessment: a role for the, 615
Nwosu, E. C., Kumar, B., El-Sayed, M. and Hollis, S.: Is fetal gender significant in the perinatal outcome of pregnancies complicated by placental abruption?, 612
Nzewi, C., Clerk, N. and Bowen-Simpkins, P.: Prolonged fetal tachycardia—an unusual complication of external cephalic version, 427

Obed, J. Y., Khalil, M. I. A. and Ekanem, E. D.: Histological types of ovarian tumours as seen in an African teaching hospital in North-east Nigeria, 526
Obeidat, A. see Alchalabi, H.
Obisesan, K. A., Adeyemo, A. A., and Onifade, R. A.: Childhood sexuality and child sexual abuse in southwest Nigeria, 624
O'Brien, P. M. S. see Walker, T.
Obstetric and perinatal outcomes of pregnancies after the age of 45, 486
Obstetric pubic symphysis arthropathy: a study of nine cases, 620
O'Connell, M. P., Ivory, C. M. and Hunter, R. W.: Incarcerated retroverted uterus—a non recurring complication of pregnancy, 84
O'Connell, M. P., Poon, P., Lindow, S. W. and Robinson, D. W.: Chronic hypokalaemia in pregnancy secondary to hyperemesis gravidarum, 532
O'Connor, J. see Lyons, F.
Odutayo, R. and Bhattacharyya, M. N.: Genital tract infections and the specialist gynaecologist: a survey of perception, diagnosis and treatment, 406
Oestradiol implants, repeat, : features of dependence?, 190
Oforofuo, A. O., Omu, A. E. and Onakewhor, J. U. E.: Comparative maternal lactate-pyruvate ratios in singleton and twin pregnancies and in babies delivered at term, 617
Ogunbiyi, J. O. see Fawole, A. O.
Ogunniyi, F. A. see Ogunniyi, S. O.
Ogunniyi, S. O., Sanusi, Y. O. and Ogunniyi, F. A.: Eclampsia: a continuing obstetric catastrophe—the experience in Ile-Ife, Nigeria, 26
Ojengbede, O. A. see Campbell, O. B.
Ojidu, J. I.: Delaying planned caesarean delivery until 39 completed weeks of gestation: the experience of a district general hospital, 142
Okojie, P. and Cook, P.: Immediate and delayed complications of epidural analgesia in labour and delivery, 370
Oladipo, A., Daniel, G. and Jones, A.: Hirschsprung's disease: an unusual presentation in pregnancy, 206
Oláh, K. S. J. see D'Souza, D.
Olsen, J. Basso, O. and Christensen, K.: Male factors and socioeconomic indicators correlate with risk of spontaneous abortion, 49
Olsen, J. see Zhou, W.
Olugbile, A., Ludlam, A., Newbould, M. and Sharp, D.: Multiple fetal anomalies: an extreme case of amniotic band syndrome, 667
Omar, A. see Raman, S.
Omu, A. E. see Oforofuo, A. O.
Onakewhor, J. U. E. see Oforofuo, A. O.
Onifade, R. A. see Obisesan, K. A.
Onwuddiegwu, U., Makinde, O. N., Ezechi, O. C. and Adeyemi, A.: Decision-caesarean delivery interval in a Nigerian university hospital: implications for maternal morbidity and mortality, 30
Onwudiegwu, U., Bako, A. and Oyewumi, A.: Cervical cancer—a neglected health tragedy, 61
Onwudiegwu, U. and Makinde, O. N.: Retained placenta: a cause of reproductive morbidity in Nigeria, 355
Operative vaginal delivery rates in the United Kingdom, 602
Orife, S. U. see Taylor, A. A.
Orji, E. see Dare, F. O.
Orvieto, R. see Ferber, A.; Shalev, J.
Osuagwu, F. I. see Reid, P. C.
Otubu, J. A. M. see Audu, B. M.
Ovarian cystectomy, transvaginal, 327
Ovarian cysts, laparoscopically managed bilateral benign, in an 85-year-old woman, 670
Ovarian leiomyoma, bilateral primary, : a rare cause of ovarian tumour in a young woman, 676
Ovarian lesions, the use of non-linear analysis for differentiating the biomagnetic activity of, 280
Ovarian marsupialisation for polycystic ovarian disease: reality or fiction?, 298
Ovarian mixed type carcinoid tumour, primary, 561
Ovarian tumours, histological types of, as seen in an African teaching hospital in North-east Nigeria, 526
Ovarian vein thrombosis with massive inferior vena cava thrombus formation, postpartum, 76
Ovary, malignant mixed mesodermal tumour of the, : clinicopathological features, 643
Ovary, primary choriocarcinoma of the, with coexisting dysgerminoma of the contralateral ovary, 325
Overton, C. E. and Warren, R. C.: Surviving twins delivered at 29 weeks' gestation following abortion of one triplet at 15 weeks and rescue cervical cerclage, 202
Oyelese, K. O., Shehata, H., Hussain, S. and Manyonda, I.: Towards the modern management of ectopic pregnancy: a complete audit cycle of practice in a London teaching hospital, 276
Oyewumi, A. see Onwudiegwu, U.
Ozbilim, G. see Mendilcioglu, I.
Özden, S., Demirci, F., Fiçiçioğlu, C. and Glelincik, M.: Predictive value of transvaginal ultrasonography for determining the response to tocolytic therapy in cases with preterm labour, 265
Özeren, S., Yüksel, A., Altınok, T., Yazgan, A. and Bilgic, R.: Prenatal ultrasound diagnosis of a large epignathus, 660

Paget's disease of the vulva with underlying *in situ* and invasive classical lobular breast carcinoma, 320
Pairaudeau, P. see Furara, S. A.
Pakal, M. see Khan, K. S.
Panayotopoulos, N. see Loghis, C.
Pandey, U. see Kenn, C. E.
Pandit, M. J. and MacKenzie, I. Z.: Patient satisfaction in gynaecological outpatient clinic attendances, 511
Papaioannou, S., Soosay, G. N. and Cochrane, G. W.: Menorrhagia due to endometrial stromal sarcoma, 435
Papantoniou, N. see Antsaklis, A.
Papapanagiotou, A. see Nikolaidou-Politis, V. Parvathi, C. K. see Al-Takroni, A. M. B.
Patient satisfaction in gynaecological outpatient clinic attendances, 511
Patrick, J. see Keriakos, R.
Peleg, D. see Ferber, A.
Pell, J. P. see Williams, J.
Pelvimetry, has it a role in current obstetric practice?, 463
Pepera, T. see Kadir, R. A.
Perez, P. see Neill, A. M.
Perkins, J. see Girgis, A.
Perrault syndrome, sporadic, 436
Persaud, M. see Geary, M.
Peterkin, M. see Mackenzie, F.
Philip, G. see Kenn, C. E.
Phipps, J. H. see Ewies, A. A. A.
Phytoestrogens, the value of, as a possible therapeutic option in postmenopausal women with coronary heart disease, 455
Pickersgill, A. see Gilmour, K. S.
Pinto García, V., Cuesta, F. P. and Fernández, S. V.: Blood transfusions in gynaecology, 652
Pitts, M. see Howells, R. E. J.
Placenta accreta, intrauterine pregnancy complicated by, after previous transcervical resection of endometrium, 192

Placenta praevia and accreta: and analysis of two-years' experience, 584
Placenta praevia percreta with bladder infiltration, 539
Placenta praevia, transvaginal and transabdominal ultrasound for the diagnosis of, 152
Placenta, retained: a cause of reproductive morbidity in Nigeria, 355
Placental abruption, fetal fibronectin and, 535
Placental abruption, is fetal gender significant in the perinatal outcome of pregnancies complicated by?, 612
Placental chorioangioma, infarction of, mimicking placental abruption, 421
Placental site trophoblastic tumour—an unusual cause of intermenstrual bleeding. Management and 1 year follow up, 679
Plasma cell vaginitis—a new clinical entity?, 91
Polyhydramnios, congenital rhabdomyosarcoma of maxillofacial region associated with, 204
Poole, S., Ravenhill, G. and Munday, P. E.: A pilot study of the use of a low oxalate diet in the treatment of vulval vestibulitis, 271
Poon, P. see O'Connell, M. P.
Postgraduate journal club as a means of promoting evidence-based obstetrics and gynaecology, 231
Pre-eclampsia, the maternal haemodynamic response to low dose spinal and epidural anaesthesia in (abstract), 105
Pre-eclampsia, severe, an open trail comparing isradipine with hydralazine and methyl dopa in the treatment of patients with, 235
Pre-eclamptic pregnancies, the chaos theory for differentiating fetal biomagnetic brain activity in normal and, 365
Pre-eclamptic women with preterm deliveries, increased rate of small-for-gestational-age neonates, 135
Preterm labour, predictive value of transvaginal ultrasonography for determining the response to tocolytic therapy in cases with, 265
Priddy, A. see Havutcu, A. E.
Procidentia, irreducible complete, complicated by vesical calculi. Three step management of, 551
Proliferation marker Ki-67 and oestrogen and progesterone receptors, the expression of, in the proximal and distal fallopian tube, 519
Prostanoid precursors and inhibitors, the effect of, on platelet angiotensin II binding, 56
Prussia, P. R. see Attapattu, J. A. F.
Pullan, A. M. see Furara, S. A.; Lindow, S. W.
Pulmonary metastases from cervical cancer in Sri Lanka, 65
Pulsford, N. see Nadim, Z.
Pyramidalis muscle, the, 300

Qunaibi, A. M. see Al-Takroni, A. M. B.
Qureshi, M. see Adeyemo, D.

Rafla, N. M.: The effect of maternal exercise on umbilical artery velocity waveforms in intrauterine growth retardation, 469
Rafla, N. M.: Umbilical artery flow velocity waveforms following maternal exercise, 385
Rafla, N. M. and Cook, J. R.: The effect of maternal exercise on fetal heart rate, 381
Rai, N., Hay, D. M., Grout, P. and Lindow, S. W.: Maternal survival following an unusual suicide attempt in pregnancy, 424
Raman, S., Lim, J. M. H., Hanifullah, K. and Omar, A.: The use of intrapartum fetal pulse oximetry in the prescence of fetal cardiac arrhythmia due to a cardiac tumour, 200
Rane, E. see Isherwood, P. J.
Rao, S. see Ghosh, A. K.
Ravenshill, G. see Poole, S.
Ravindranath, N. T., Gurguis, M., Cox, C. and Adeghe, J. H.: Vaginal carcinoma presenting as a surgical emergency, 681
Ravindranath, N. T. see Gray-Henry, D.-M.
Ravnikar, J. see Lovšin, B.
Redman, C. W. see Howells, R. E. J.; Cook, A. K.
Regan, L. see Davis, C. J.
Reid, F. M., Ellis, A. and Hirsch, P. J.: An unusual case of antepartum haemorrhage, 312
Reid, M. see Brown, D.
Reid, P. C. and Osuagwu, F. I.: Symphysiotomy in shoulder dystocia, 664
Reid, W. M. N. see Singh, K.
Retained placenta: a cause of reproductive morbidity in Nigeria, 355
Riedel, H.-H. see Emmert, C.
Riley, A. J. see Butler-Manuel, S. A.
Roberts, G. see Fletcher, H.
Roberts, J. K. see Keriakos, R.; Wasef, W. R.
Robinson, D. W. see O'Connell, M. P.
Rodeck, C. H. see Geary, M.
Roopnarinesingh, A. J., Homer, H., Bassaw, B., Sirjusingh, A. and Roopnarinesingh, S.: Obstetric hazards of maternal obesity, 474
Roopnarinesingh, S. see Roopnarinesingh, A. J.
Rupture of a 13 week gravid scarred uterus, spontaneous, 316
Ruptured fetal membranes in pregnancy, diagnosis of, with the use of urograffin, 150
Ryan, C. A. see Ahmed, S.

Sabaa, K. G. see Maaita, M. E.
Salamalekis, E. see Loghis, C.
Salisbury, J. see Gibbon, K. L.
Sanson-Fisher, R. see Girgis, A.
Sanusia, Y. O. see Ogguniyi, S. O.
Sarcoma botryoides in a seven year old: successful chemotherapeutic management, 92
Sarcoma botryoides—an unusual case of a cervical polyp, 555
Sathanandan, S. M. see Masood, M. R.
Sau, A. see Keriakos, R.
Sau, M. see Keriakos, R.
Savage, R. see Fox, R.
Schiøtz, H. A.: The value of leucocyte stix results in predicting bacteriuria and urinary tract infection after gynaecological surgery, 396
Schistosomiasis, upper genital, laparoscopic evidence of, 122
Sciatic nerve tumour masquerading as pregnancy related back pain, 86
Seif, M. W. see Taylor, G. M.
Sekizawa, A. see Farina, A.
Selo-Ojeme, D. O. see Bolton, P. J.
Septicaemic shock: an unusual presentation of cervical carcinoma, 329
Sexual intercourse at term, does it influence the onset of labour? A survey of attitudes of patients and their partners, 466
Shalev, J., Orvieto, R., Farhi, J., Bar-Hava, I., Dekel, A. and Ben-Rafael, Z.: Diagnosis of ruptured fetal membranes in pregnancy with the use of urograffin, 150
Sharara, H. see El Sakka, M.
Sharp, D. see Olugbile, A.
Shefras, J., Montague, I. and Fox, R.: Delayed development of laboratory features of HELLP syndrome, 313
Shehata, H. see Oyelese, K. O.
Shelf pessary, ineffective, potentially dangerous complication of, 669
Shepherd, J. H. see Butler-Manuel, S. A.
Shepherd, N. J. see Gornall, R. J.
SHOs, preparing, for their role in hospital care. Miscarriage, 54
Shoulder dystocia: room for improvement?, 132
Shoulder dystocia, symphysiotomy in, 664
Shroff, J. Foden see Howells, R. E. J.

Shukunami, K., Hirabuki, S., Kaneshima, M. and Kotsuji, F.: Face presentation caused by a short umbilical cord round the fetal neck, 668
Sidra, L. see Keriakos, R.
Şimşek, T. see Çimen, G.
Singer, A. see Ikomi, A.
Singh, K., Thompson, P. J. and Reid, W. M. N.: Transvaginal ovarian cystectomy, 327
Singh, P. K. see Walker, T.
Sirjusingh, A. see Roopnarinesingh, A. J.
Slade, R. J. see Gilmour, K. S.
Smeeton, N. C. see Kenn, C. E.
Sonnex, C.: Vulva vestibulitis syndrome: a descriptive study and assessment of response to local steroid and topical clindamycin treatment, 41
Soosay, G. N. see Papaioannou, S.
Spencer, P. J. see Neill, A. M.
Spina bifida and a ventriculo-peritoneal shunt, pregnancy outcome in a woman with, 304
Spontaneous abortion, male factors and socioeconomic indicators correlate with risk of, 49
Sporrong, B.: Bilateral Müllerian duct remnants. A scanning electron microscope study in a case of complete androgen insensitivity syndrome, 546
Sriemevan, A. see Neill, A. M.
Sroujieh, A. see Al-Qudah, M. S.
Stanton, S. L. see Butler-Manuel, S. A.
Stegmann, M. H. see Emovon, E. U.
Stewart, H. see Bai, J.
Stress incontinence, genuine, the modified Aldridge fascial sling (cruciate bladder sling) for: a review of 50 patients, 627
Substance abuse in an Irish antenatal population, 609
Sultan, A. H. see Butler-Manuel, S. A.
Summerfield, J. see Davis, C. J. Summerville, K. see Butler-Manuel, S. A.
Sunna, E. and Ziadeh, S.: Transvaginal and transabdominal ultrasound for the diagnosis of placenta praevia, 152
Světnicová, K. see Kučerová, M.
Symon, A.: Interprofessional and peer criticism: a side-effect of litigation?, 248
Symon, A.: Perinatal litigation in Scotland 1980–1995: its incidence, rate and nature, 239

Tabor, A. see Andreasen, K. R.
Tai, C. M. see Kun, K.-Y.
Tait, P. see Jones, E. S.
Takagi, A. see Imai, A.
Tamaya, T. see Imai, A.
Tang, R. see Kun, K.-Y.
Taylor, A. A. and Orife, S. U.: Massive corpus luteum haemorrhage—still a complication of anticoagulation therapy despite recent less intense regimes, 216
Taylor, G. M., Faragher, E. B., Chantler, E. and Seif, M. W.: Fecundity in the modern city: a comparison of couples attending clinics in Manchester)UK) and Melbourne (Australia), 489
Taylor, M., Bowen-Simpkins, P. and Barrington, J.: Complications of unopposed oestrogen following radical surgery for endometriosis, 647
Teenage mothers, the obstetric and neonatal performance of, in an Australian community, 345
Thambapillai, E. see Acharya, G.
Thangappah, R. B. P. and Baumber, R. S.: Hereditary elliptocytosis complicating pregnancy, 308
Thangappah, R. B. P. and Baumber, R. S.: Pregnancy outcome in a woman with spina bifida and a ventriculo-peritoneal shunt, 304
Third degree obstetric perineal tears: incidence and risk factos (abstract), 105
Thomas, A. and Agarwal, S.: Uterine sarcoma: an unusual metastatic site, 90
Thompson, P. J. see Singh, K.
Thonet, R. G. N. see Nadim, Z.
Thromboprophylaxis at caesarean section, an audit of (abstract), 103
Thrombosis, postpartum ovarian vein, with massive inferior vena cava thrombus formation, 76
Tolunay, S. see Bilgin, T.
Tomlinson, A. J., Colliver, D., Nelson, J. and Jackson, F. : Does sexual intercourse at term influence the onset of labour? A survey of attitudes of patients and their partners, 466
Toplis, P. see Kalu, G.
Torsion of a hydrosalpinx in an 18-year-old virgin, 331
Trak, B. see Çimen, G.
Triplet pregnancy with complete hydatidiform mole coexisting with two fetuses, 80
Tuberous sclerosis in a Chinese baby presented with a pleural effusion and cardiac tumour during prenatal period, 429
Turner, M. J. see Gould, D. A.
Twin pregnancies: incidence and outcome—Riyadh Armed Forces Hospital, 587
Twin pregnancies, comparative maternal lactate-pyruvate ratios in singleton and, 617
Twin pregnancies, fetal weight estimation in, using an improved mathematical model (abstract), 218
Twin pregnancy involving complete hydatidiform mole, 318
Twin pregnancy, monoamniotic, failure to diagnose by ultrasound but with fortunate outcome, 310
Twin pregnancy in a uterus didelphys, 82
Twins, surviving, delivered at 29 weeks' gestation following abortion of one triplet at 15 weeks and rescue cervical cerclage, 202
Tziortzioti, V., Apessou, D., Antoniou, S., Giantzoglou, A. and Paissios, P.: Clear cell adenocarcinoma of the peritoneum associated with clear cell adenocarcinoma arising in an endometrial polyp, 557

Udezue, N. O.: Colorectal cancer associated with pregnancy in Kaduna, 477
Ulbricht, C. see Lee, A.
Ullal, A. and Kollipara, P. J.: Torsion of a hydrosalpinx in an 18-year-old virgin, 331
Ultrasonography, transvaginal, predictive value of, for determining the response to tocolytic therapy in cases with preterm labour, 265
Ultrasound, a comparison between, and clinical methods for predicting fetal weight, 159
Ultrasound for the diagnosis of placenta praevia, transvaginal and transabdominal, 152
Ultrasound, failure to diagnose monoamniotic twin pregnancy by, but with fortunate outcome, 310
Ultrasound, prenatal diagnosis of a large epignathus, 660
Umbilical artery flow velocity waveforms following maternal exercise, 385
Umbilical artery velocity waveforms, the effect of maternal exercise on, in intrauterine growth retardation, 469
Umbilical cord blood gas analysis in augmented labour, 38
Urinary incontinence, quality of life and? (abstract), 220
Urinary leakage, coital, Burch colposuspension for the treatment of, secondary to genuine stress incontinence, 289
Urinary leakage during coitus in women, 286
Urinary stress incontinence, acute, pedunculated uterine leiomyoma causing, 440
(Urinary) stress incontinence, genuine, the modified Aldridge fascial sling (cruciate bladder sling) for: a review of 50 patients, 627
Urograffin, diagnosis of ruptured fetal membranes in pregnancy with the use of, 150
Uterine enlargement, a dilated cervical crypt as a cause of, 96
Uterine leiomyoma, pedunculated, causing acute urinary stress incontinence, 440
Uterine sarcoma: an unusual metastatic site, 90

Uteroplacental vascular disease, grossly elevated placental derived alkaline phosphatase in pregnancy as a marker for, 533

Vaginal carcinoma presenting as a surgical emergency, 681
Vaginal delivery after abdominal wall replacement by Marlek mesh, 543
Vaginal delivery, does it damage the pelvic floor? (abstract), 104
Vaginal discharge, and cervical ectropion. Three case reports of diethylstilbestrol (DES) exposed women presenting with, 649
Vaginitis, plasma cell, —a new clinical entity?, 91
Vandeginste, S., Geerinckx, K. and Vanneste, G.: Adenoid cystic carcinoma of Bartholin's gland: two cases, 559
Vanneste, G. see Vandeginste, S.
Ventriculo-peritoneal shunt, pregnancy outcome in a woman with spina bifida and a, 304
Vesce, F. see Farina, A.
Virilising arrhenoblastoma, pregnancy during postoperative management of, 662
Virotatos, N. see Loghis, C.
Visvanathan, D. see Masood, M. R.
Vitoratos, N., Bakas, P., Kalampani, H. and Creatas, G.: Maternal common variable immunodeficiency and pregnancy, 654
Vok, M. see Lovšin, B.
Vulva, double, 94
Vulva, Paget's disease of the, with underlying *in situ* and invasive classical lobular breast carcinoma, 320
Vulva vestibulitis syndrome: a descriptive study and assessment of response to local steroid and topical clindamycin treatment, 41
Vulval clinic, joint, : a review of the first three years, 273
Vulval vestibulitis, a pilot study of the use of a low oxalate diet in the treatment of, 271
Vulvar cancer in pregnancy (correspondence), 442
Vulvovaginitis secondary to examination with latex gloves, 208

Walker, T., Singh, P. K., Wyatt, K. M. and O'Brien, P. M. S.: The effect of prostanoid precursors and inhibitors on platelet angiotensin II binding, 56
Ward, P. A. see Marcus, S. F.
Ward, P. A., Wilson, H. and Wood, P. L.: The outcome of five years' implementation of maternal serum screening for Down's syndrome comparing actual age risks and mode of delivery, 257
Warfarin anticoagulation in pregnancy complicated by antiphospholipid antibody syndrome and heparin allergy, 196
Wasef, W. R., Roberts, J. K. and Dixon, G. R.: Primary malignant melanoma of the cervix uteri, 673
Watermeyer, S. R., Chin, K. and Evans, A. S.: Caution is required in interpreting high levels of Cal25 in patients with a pelvic mass, 323
Webb, J. B. see As, A. K.
Weber, T. see Andreasen, K. R.
Wecke, W. D. see Emmert, C.
Weerasekera, D. S.: The role of forceps in modern obstetrics, 146
Wiener, J. J. see Amin, P.
Wilkins, M. H. see Chima-Okereke, C. N.
Williams, J., Bjornsson, S., Cameron, A. D., Mathers, A., Yahya, S. Z. S. and Pell, P. J.: Prospective study of external cephalic version in Glasgow: patient selection, outcome and factors associated with outcome, 598
Williams, J. L. see Edozien, L. C.
Williams, N. P. see Mitchell, S.
Wilshin, J. see Geary, M.
Wilson, H. see Ward, P. A.
Wingfield, M.: Not just a cervical ectropion. Three cases of diethylstilbestrol (DES) exposed women presenting with vaginal discharge and cervical ectropion, 649
Winston, R. M. L. see Nikolaou, D. S.
Wong, F. see Bai, J.
Wood, P. L. see Marcus, S. F.; Ward, P. A.
Woodward, Z., Fish, A. and Baker, A.: A 5-year follow up of mildly dyskaryotic smears, comparing colposcopy with expectant management, 503
Wyatt, K. M. see Walker, T.
Wyldes, M. P. see Edeke, O.

Yahya, S. Y. S. see Williams, J.
Yazgan, A. see Özeren, S.
Yitzhak, M., Bar, J., Mazor, M., Fraser, D., Leiberman, J. R., Hod, M. and Kaplan, B.: Increased rate of small-for-gestational-age neonates in pre-eclamptic women with preterm deliveries, 135
Yoong, W. C. and Emens, J. M.: The modified Aldridge fascial sling (cruciate bladder sling) for genuine stress incontinence: a review of 50 patients, 627
Yüksel, A. see Özeren, S.

Zaklama, M. see Keriakos, R.
Zayed, F. and Abu-Heija, A.: A comparison between ultrasound and clinical methods for predicting fetal weight, 159
Zayed, F. see Alchalabi, H.
Zergeroğlu, S. see Gungor, T.
Zhou, W., Gao, E., Che, Y. and Olsen, J.: Induced abortion and duration of third stage labour in a subsequent pregnancy, 349
Ziadeh, S. M., Abu-Heija, A. T. and El-Jallad, M. F.: Placenta praevia and accreta: and analysis of two-years' experience, 584
Ziadeh, S. see Sunna, E.
Ziccone, S. P. see Moran, P. A.